



Milan Blagojević AD Smederevo



Smederevac

Štednjaci i peći za etažno grejanje Central heating cookers and stoves	3 - 12
Štednjaci na čvrsta goriva Solid fuel cookers	13 - 25
Peći na čvrsta goriva Solid fuel stoves	27 - 39
Elektro i kombinovani štednjaci Electric and dual fuel cookers	41 - 55
Tabela tehničkih karakteristika Technical data table	57 - 63
Sertifikati Certificates	64

O nama About MBS

Milan Blagojević iz Smedereva je privatna fabrika u okviru Invej grupacije. Osnovni asortiman proizvoda su šporeti i peći na čvrsto gorivo / električni šporeti sa najvećim međunarodnim standardima kvaliteta. Fabrika je otvorila svoj put na evropska i svetska tržišta svojim stalnim razvojem i prilagođavanjem zahtevima različitih tržišta.

Fabrika je osnovana 1923 god. i od tada do danas je stvorila prepoznatljivi proizvođački brend tradicije i kvaliteta. Ostvarene su saradnje sa francusko - belgijskom firmom ARTUR-MARTIN, korporacijom CANDY, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

Rukovodstvo MBS-a ima vodeću ulogu u primeni i stalnom poboljšavanju sistema upravljanja kvalitetom i zaštitom životne sredine, usaglašenog sa zahtevima standarda ISO 9001:2008 i ISO 14001:2009.

Milan Blagojević from Smederevo is privately owned factory and it is integral part of Invej group.

Basic assortment of our products are wood-cookers and stoves /electric range cookers in accordance with international quality standards.

Our company had created its own path on European and World markets by constant improvement and adjusting to various markets requirements.

Factory was founded in the year 1923 and until now it has created well recognized manufacturing brand, tradition and quality. Company had realised cooperation with French-Belgium company ARTHUR-MARTIN, CANDY group, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

MBS management has leading role in implementing and constant improvement of quality management system and environmental management system in accordance with requirements of standards ISO 9001:2008 and ISO 14001:2009.



Štednjaci i peći
za etažno grejanje
**Central heating
cookers and
stoves**



Thermo Rocky

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x290x430 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	25 kW / 17 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	16 kW / 9,4 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	9 kW / 7,6 kW
Power given to room (wood / coal)	
Zapremina kotla	22 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	87 % / 82 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





Thermo Magnum

Dimenzije (VxŠxD) Dimensions (HxWxD)	865x1070x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	280x230x370 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	265x350x465 mm
Snaga (drvo / ugalj) Power (wood / coal)	14 kW / 17 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	9 kW / 9 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	5 kW / 8 kW
Zapremina kotla Boiler volume	11 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	89 % / 85 %
Odvod dima Fume outlet	zadnji, centralni / back, up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Boje
Colors

Super Thermo Magnum

Dimenzije (VxŠxD)	865x1070x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	300x400x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	21 kW / 21 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	13 kW / 11 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	8 kW / 10 kW
Power given to room (wood / coal)	
Zapremina kotla	19 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 89 %
Efficiency (wood / coal)	
Odvod dima	zadnji, centralni /
Fume outlet	back, up / \varnothing 130 / 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Thermo Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	467x272x352 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 14 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6 kW / 6 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 86 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, zadnji, centralni / Ø 120 mm
Fume outlet	left, right, back, up /
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Thermo Vulkan

Dimenzije (VxŠxD)	808x650x545 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x400x400 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	19,7 kW / 24,8 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	14 kW / 14,6 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5,7 kW / 10,2 kW
Power given to room (wood / coal)	
Zapremina kotla	24 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 85 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva (drvo / ugalj)	drvo, ugalj
Fuel type (wood / coal)	wood, coal



Thermo Vulkan Plus



Dimenzije (VxŠxD) Dimensions (HxWxD)	1171x650x556 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	290x425x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	24 kW / 23 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	15 kW / 14 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	9 kW / 9 kW
Zapremina kotla Boiler volume	18 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	85 % / 86 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal



Boje
Colors

Thermo In

Dimenzije (VxŠxD) Dimensions (HxWxD)	984,5x650x530 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	320x408x390 mm
Snaga (drvo / ugalj) Power (wood / coal)	16 kW / 19 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	8 kW / 8 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	8 kW / 11 kW
Zapremina kotla Boiler volume	23 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	88 % / 87 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal

Boje
Colors



Thermo Vesta



Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	420x213x334 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	8 kW / 11 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6,5 kW / 9 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	1,5 kW / 2 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	83 % / 82 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva (drvo / ugalj)	drvo, ugalj
Fuel type (wood / coal)	wood, coal



Boje
Colors

MBS Thermo Pellet 12 kW / 18 kW

	12 kW	18 kW
Dimenzije (VxŠxD) Dimensions (HxWxD)	1168x596x713 mm	
Snaga Power	12 kW	18 kW
Snaga predata vodi Power given to water	9 kW	14 kW
Snaga predata okolini Power given to room	3 kW	4 kW
Snaga električnog dela Power of electric part	0,5 kW	
Zapremina kotla Boiler volume	46 l	
Stepen iskorišćenja Efficiency	90 %	
Odvod dima Fume outlet	zadnji / back / Ø 80 mm	
Tip goriva Fuel type	pelet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control		

Boje
Colors



Štednjaci na čvrsto gorivo Solid fuel cookers



Strong pellet

Dimenzije (VxŠxD) Dimensions (HxWxD)	863x902x653 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	320x250x350 mm
Dimenzije pečnice (VxŠxD) Oven dimensions (HxWxD)	440x300x438 mm
Snaga Power	10 kW
Stepen iskorišćenja Efficiency	87 %
Odvod dima Fume outlet	centralni, zadnji / up, back / Ø 120 mm
Tip goriva Fuel type	pellet

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA SOLID FUEL COOKERS

Strong

Dimenzije (VxŠxD)	863x902x653 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	320x250x350 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	440x300x438 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	10 kW / 7,5 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 80 %
Efficiency (wood / coal)	
Odvod dima	centralni, zadnji /
Fume outlet	up, back / Ø 130 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Magnum

Dimenzije (VxŠxD)	865x1070x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x270x350 mm
Firebox dimensions (HxWxD)	
Dimenzije pečnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	89 % / 85 %
Efficiency (wood / coal)	
Odvod dima	centralni, zadnji /
Fume outlet	up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Rocky

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x320x450 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	11 kW / 12 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	81 %/ 80 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Trend

Dimenzije (VxŠxD) Dimensions (HxWxD)	858x894x420 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	260x280x367 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Snaga (drvo / ugalj) Power (wood / coal)	7,5 kW/ 8 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	77 % / 73 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Royal 900

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	9 kW / 9 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 %/ 62 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	8 kW / 7 kW
Power	
Stepen iskorišćenja (drvo / ugalj)	73 % / 71 %
Efficiency	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Smederevac MBS 9 RS



Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	10 kW
Power (wood)	
Stepen iskorišćenja (drvo)	85 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal



Smederevac MBS 9 SL

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x945x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	195x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x490x460 mm
Snaga (drvo) Power (wood)	9 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	60 %
Odvod dima Fume outlet	levi, desni / left, right / \varnothing 120 mm
Tip goriva Fuel type	drvo, uglj wood, coal

Boje
Colors



Smederevac MBS 7 RS



Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	9,5 kW
Power (wood)	
Stepen iskorišćenja (drvo)	85 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal



Smederevac MBS 7 SL

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x820x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	195x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x430x460 mm
Snaga (drvo) Power (wood)	8,5 kW / 9,5kW
Stepen iskorišćenja (drvo) Efficiency (wood)	85 % / 86 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, uglj wood, coal

Boje
Colors



Smederevac MBS 3

Dimenzije (VxŠxD)	740x720x570 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x300x400 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	6,5kW / 10 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 85 %
Efficiency (wood / coal)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Peći
na čvrsto gorivo
**Solid fuel
stoves**



Eva

Dimenzije (VxŠxD)	780x605x555 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x500x420 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	10 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Elit

Dimenzije (VxŠxD)	985x588x493 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	298x400x364 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	8,6 kW / 9 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	76 % / 74 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Vulkan S

Dimenzije (VxŠxD) Dimensions (HxWxD)	747,5x650x531 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	265x390x400 mm
Snaga (drvo / ugalj) Power (wood / coal)	17 kW / 21 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	83 % / 84 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Olymp

Dimenzije (VxŠxD)	850x585x640 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	12 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	80 % / 82 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Olympia

Dimenzije (VxŠxD) Dimensions (HxWxD)	1120x585x640 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	330x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	280x270x425 mm
Snaga (drvo / ugalj) Power (wood / coal)	12 kW / 18 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	87 % / 87 %
Odvod dima Fume outlet	zadnji / back / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Vesta

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	280x400x340 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	9 kW / 9,5 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	85 % / 86 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Hit

Dimenzije (VxŠxD)	850x500x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 13 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	82 % / 83 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Corner

Dimenzije (VxŠxD)	850x640x575 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	10 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 86 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Hera

Dimenzije (VxŠxD)	850x400x560 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	280x290x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	89 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal

Boje
Colors



Happy

Dimenzije (VxŠxD)	720x400x400 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x220x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	82 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



MBS Pellet - 6 kW / 8,5 kW / 10 kW

Dimenzije (VxŠxD) 980x560x490 mm
Dimensions (HxWxD)

Snaga 6 kW / 8,5 kW / 10 kW
Power

Snaga električnog dela 0,5 kW
Power of electric part

Stepen iskorišćenja 88 %
Efficiency

Odvod dima zadnji / Ø 80 mm
Fume outlet back /

Tip goriva pelet
Fuel type pellet

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
**Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control**

Boje
Colors



Arena

Dimenzije (VxŠxD)	600x445x370 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	240x290x230 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7,5 kW
Power (wood)	
Stepen iskorišćenja (drvo)	73,03 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 140 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



Boje
Colors

Električni i
kombinovani
proizvodi
**Electric and
dual fuel
products**



E3710D

Kapacitet pranja Washing capacity	7 kg
Maksimalan broj obrtaja Maximum number of spin	1000
Potrošnja vode po ciklusu Water consumption per cycle	45 l
Potrošnja energije po ciklusu Energy consumption per cycle	0,91 kWh
Nivo buke pri pranju Noise level (washing)	61 dB
Nivo buke pri centrifugi Noise level (centrifuge)	76 dB
Enregetska klasa Energy class	A+
Dimenzije (VxŠxD) Dimensions (HxWxD)	850x595x570 mm
<ul style="list-style-type: none">• 15 programa pranja / 15 washing programs• Podešavanje broja obrtaja / Spin setting• Odloženi start / Delayed start• Podešavanje temperature / Temperature setting• Pokazatelj preostalog vremena / Time remaining indicator• Pokazatelj greške u radu / Fault indicator• Zaštita od penjenja / Anti-foam control• Zaštita od pregrevanja / Overheating control• Zaštita od poplave / Overow control	



ITW4810I



Kapacitet pranja Washing capacity	6,2 kg
Maksimalan broj obrtaja Maximum number of spin	1000
Potrošnja vode po ciklusu Water consumption per cycle	50,4 l
Potrošnja energije po ciklusu Energy consumption per cycle	0,79 kWh
Nivo buke pri pranju Noise level (washing)	59 dB
Nivo buke pri centrifugi Noise level (centrifuge)	72 dB
Enregetska klasa Energy class	A+
Dimenzije (VxŠxD) Dimensions (HxWxD)	850x595x540 mm
<ul style="list-style-type: none"> • 18 programa pranja / 18 washing programs • Mehanički programator / Mechanical programmer • Podešavanje broja obrtaja / Spin setting • Podešavanje temperature / Temperature setting • Zaštita od penjenja / Anti-foam control • Zaštita od pregrevanja / Overheating control • Zaštita od poplave / Overow control 	

Mini

Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350mm
Ukupna instalirana snaga Total installed power	3,6kW
●○ Ringla - standardna Hot plate - standard	Ø145mm/1,0kW
○● Ringla - standardna Hot plate - standard	Ø180mm/1,5kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•

Boje
Colors



Mini Glass



Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350mm
Ukupna instalirana snaga Total installed power	3,5 kW
●○ Leva grejna površina Left Cooking zone	Ø145 mm / 1,2 kW
○● Desna grejna površina Right cooking zone	Ø145 mm / 1,2 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•



Mini gas

Dimenzije (VxŠxD) Dimensions (HxWxD)	350x570x350mm
Ukupna instalisana snaga Total installed power	5,1kW
<input checked="" type="radio"/> Gorionik - veliki Burner - large	3kW
<input type="radio"/> Gorionik - mali Burner - small	1kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emaljirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•

Boje
Colors



Mini Up



Dimenzije (VxŠxD) / Dimensions (HxWxD)	370x515x408 mm
Dimenzije prostora za ugradnju (VxŠxD) Built-in area dimensions (HxWxD)	365x490x450 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	24,5 l
Ukupna snaga / Total power	1,1 kW
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Težina / Weight	18,5 kg
Maksimalna temperatura pečenja Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom Double glass door	•
Tajmer / Timer	•

Boja
Color

NL50

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600 mm
<input type="radio"/> <input type="radio"/> Ringla - brzogrejuća <input checked="" type="radio"/> <input type="radio"/> Hot plate - fast heating	Ø180 mm/2,0 kW
<input checked="" type="radio"/> <input type="radio"/> Ringla - standardna <input type="radio"/> <input type="radio"/> Hot plate - standard	Ø145 mm/1,0 kW
<input type="radio"/> <input type="radio"/> Ringla - standardna <input checked="" type="radio"/> <input type="radio"/> Hot plate - standard	Ø145 mm/1,0 kW
<input checked="" type="radio"/> <input type="radio"/> Ringla - standardna <input type="radio"/> <input type="radio"/> Hot plate - standard	Ø180 mm/1,5 kW
Dimenzije pečnice (VxŠxD) Oven dimensions(HxWxD)	300x430x465 mm
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pečnice / Oven light	•

Boje
Colors



NL508



Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600 mm
○ Ringla - brzo grejuća ● Hot plate - fast heating	Ø180 mm/2,0 kW
● Ringla - standardna ○ Hot plate - standard	Ø145 mm/1,0 kW
○ Ringla - standardna ● Hot plate - standard	Ø80 mm/0,45 kW
● Ringla - standardna ○ Hot plate - standard	Ø180 mm/1,5 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	300x430x465 mm
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pećnice / Oven light	•

Boje
Colors

NL60

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x600x600 mm
<input type="radio"/> Ringla - brzogrejuća <input checked="" type="radio"/> Hot plate - standard	Ø180 mm/1,5 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø145 mm/1,0 kW
<input type="radio"/> Ringla - standardna <input checked="" type="radio"/> Hot plate - fast heating	Ø145 mm/1,05 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø220 mm/2,0 kW
Dimenzije pečnice (VxŠxD) Oven dimensions(HxWxD)	300x430x465 mm
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pečnice / Oven light	•

Boje
Colors



SD-54 INOX



Širina / Width	60 cm
Kapacitet / Capacity	650m ³ /h
Broj i snaga motora Number and power of motors	1 x 120W
Svetlo / Light	2 x 25W
Ukupna snaga / Total power	170W
Priključak odvoda / Outlet connection	120mm

 Boja
Color

7001 G

Širina / Width	60 cm
Kapacitet / Capacity	550m ³ /h
Broj i snaga motora Number and power of motors	2 x 90W
Svetlo / Light	1 x 25W
Ukupna snaga / Total power	205W
Priključak odvoda / Outlet connection	120mm



Boja
Color



3501 INOX



Širina / Width	60 cm
Kapacitet / Capacity	280m ³ /h
Broj i snaga motora Number and power of motors	1 x 90W
Svetlo / Light	1 x 25W
Ukupna snaga / Total power	115W
Priključak odvoda / Outlet connection	120mm

 Boja
Color

3501 W

Širina / Width	60 cm
Kapacitet / Capacity	280m ³ /h
Broj i snaga motora Number and power of motors	1 x 90W
Svetlo / Light	1 x 25W
Ukupna snaga / Total power	115W
Priključak odvoda / Outlet connection	120mm



Quick 800



Dimenzije (VxŠxD) / Dimensions (HxWxD)	275x575x110 mm
Snaga / Power	800 W
Površina zagrevanja / Heatable area	7-10 m ²
Težina proizvoda / Product weight	4,15 kg

Boja
Color

Tabela tehničkih
karakteristika
Technical data table



MODEL / MODEL	Thermo Rocky	Thermo Magnum	Thermo Magnum	Super Thermo Royal 720	Thermo Vulkan
Dimenzije (VxŠxD) / Dimensions (HxWxD)	850x900x600 mm	865x1070x660 mm	865x1070x660 mm	850x720x600 mm	807,5x650x545 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	400x290x430 mm	280x230x370 mm	310x400x430 mm	467x272x352 mm	310x400x400 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x350x470 mm	265x350x465 mm	280x270x425 mm	270x350x470 mm	
Snaga (drvo / ugalj) / Power (wood / coal)	25 kW / 17 kW	14 kW / 17 kW	21 kW / 21 kW	11 kW / 14 kW	19,7 kW / 24,8 kW
Snaga predata vodi (drvo / ugalj) / Power given to water (wood / coal)	16 kW / 9,4 kW	9 kW / 9 kW	13 kW / 11 kW	6 kW / 6 kW	14 kW / 14,6 kW
Snaga predata okolini (drvo / ugalj) / Power given to room (wood / coal)	9 kW / 7,6 kW	5 kW / 8 kW	8 kW / 10 kW	5 kW / 8 kW	5,7 kW / 10,2 kW
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	87 % / 82 %	89 % / 85 %	86 % / 89 %	86 % / 86 %	86 % / 85 %
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	0,053% / 0,092%	0,070% / 0,081%	0,072 % / 0,066 %	0,237% / 0,128%	0,077 % / 0,08 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,028/0,026 g/m ³	0,055 / 0,070 g/m ³	0,039 / 0,037 g/m ³	0,068 / 0,069 g/m ³	0,037 / 0,039 g/m ³
Zapremina kotla / Boiler volume	22 l	11 l	19 l	4 l	24 l
Priključak odvoda dima / Fume outlet position	C* / U*	C,Z* / U,B*	C,Z* / U,B*	L,D,C,Z* / L,R,U,B*	C* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 150 mm	Ø 150 mm	Ø 130 / 150 mm	Ø 120 mm	Ø 150 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	189,2 °C / 210,5 °C	129 °C / 160 °C	149,5 °C / 136 °C	121,2 °C / 97,2 °C	227,5 °C / 199 °C
Težina / Weight	162 kg	177,5 / 213,7 kg**	181 kg / 218,2 kg**	117,3 kg	152,2 kg / 184,3 kg**
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	5,2 kg/h / 6,1 kg/h	3,3 kg/h / 3,3 kg/h	5,1 kg/h / 7,1 kg/h	2,2 kg/h / 2,7 kg/h	4,3 kg/h / 3,4 kg/h
Kapacitet grejanja (približno) / Heatable volume (approximately)	165 m ² / 112 m ²	92 m ² / 112 m ²	138 m ² / 138 m ²	72 m ² / 92 m ²	130 m ² / 163 m ²

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



MBS Thermo Pellet

Thermo Vulkan Plus	Thermo In	Thermo Vesta	MBS Thermo Pellet 12 kW / 18 kW	Strong pellet	Strong	Magnum	Rocky
1171x650x556 mm	984,5x650x530 mm	890x455x440 mm	1168x596x713 mm	863x902x653 mm	863x902x653 mm	865x1070x660 mm	850x900x600 mm
290x425x400 mm	320x408x390 mm	420x213x334 mm	/	/	320x250x350 mm	270x270x350 mm	400x320x450 mm
270x350x470 mm	/	/	/	440x300x438 mm	440x300x438 mm	270x350x470 mm	270x350x470 mm
24 kW / 23 kW	16 kW / 19 kW	8 kW / 11 kW	12 kW / 18 kW	10 kW	10 kW / 7,5 kW	11 kW / 12 kW	11 kW / 12 kW
15 kW / 14 kW	8 kW / 8 kW	6,5 kW / 9 kW	9 kW / 14 kW	/	/	/	/
9 kW / 9 kW	8 kW / 11 kW	1,5 kW / 2 kW	3 kW / 4 kW	/	/	/	/
85 % / 86 %	88 % / 87 %	83 % / 82 %	90 %	87 %	81 % / 80 %	89 % / 85 %	81 % / 80 %
0,054 % / 0,048 %	0,092 % / 0,114 %	0,086 % / 0,077 %	0,03 %	---	0,07 % / 0,05 %	0,21 % / 0,11 %	0,036 % / 0,047 %
--- / ---	0,068 / 0,065 g/m ³	0,058 / 0,036 g/m ³	0,03 g/m ³	---	0,036 / 0,027 g/m ³	0,067g/m ³ / ---	0,021 / 0,022 g/m ³
18 l	23 l	4 l	46 l	/	/	/	/
C* / U*	C* / U*	C* / U*	Z* / B*	C,Z* / U,B*	C,Z* / U,B*	C,Z* / U,B*	C* / U*
Ø 150 mm	Ø 150 mm	Ø 120 mm	Ø 80 mm	Ø 120 mm	Ø 130 mm	Ø 120 mm	Ø 150 mm
178,8 °C / 171,4 °C	123,1 °C / 114 °C	142 °C / 150 °C	120 °C	---	211,5 °C / 181,7 °C	116 °C / 117 °C	178,9 °C / 190,7 °C
223,9 kg	161,5 kg	87,7 kg	197,4 kg / 198,2 kg	200 kg	222,2 kg	172,4 kg / 219 kg**	151,2 kg**
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	pelet pellet	pelet pellet	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
5 kg/h / 4 kg/h	3,17 kg/h / 3,3 kg/h	1,6 kg/h / 1,6 kg/h	min - max 1,2 - 4,1 kg/h	min-max 0,9-2,5 kg/h	3,1 kg/h / 2,5 kg/h	2,24 kg/h / ---	3 kg/h / 4,6 kg/h
158 m ² / 152 m ²	105 m ² / 125 m ²	53 m ² / 72 m ²	79 m ² / 118 m ²	66 m ²	66 m ² / 50 m ²	72 m ² / 79 m ²	72 m ² / 79 m ²

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



MODEL / MODEL	Trend	Royal 900	Royal 720	Smederevac MBS 9 RS	Smederevac MBS 9 SL
Dimenzije (VxŠxD) / Dimensions (HxWxD)	858x894x420 mm	850x900x600 mm	850x720x600 mm	740x945x645 mm	740x945x645 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	260x280x367 mm	175x250x400 mm	175x250x400 mm	250x200x400 mm	195x200x400 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	205x367x325 mm	270x500x470 mm	270x350x470 mm	200x490x460 mm	200x490x460 mm
Snaga (drvo / ugalj) / Power (wood / coal)	7,5 kW / 8 kW	9 kW / 9 kW	8 kW / 7 kW	10 kW / ---	9 kW / ---
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	77 % / 73 %	60 % / 62 %	73 % / 71 %	85 % / ---	60 % / ---
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	0,109 % / 0,067 %	0,35 % / 0,37 %	0,138 % / 0,055 %	--- / ---	0,38 % / ---
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,021 / 0,018 g/m ³	--- / ---	0,058 / 0,056 g/m ³	--- / ---	--- / ---
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	L,D* / L,R*	L,D,C,Z* / L,R,U,B*	L,D,C,Z* / L,R,U,B*	L,D* / L,R*	L,D* / L,R*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	180 °C / 174 °C	277 °C / ---	131 °C / 131 °C	--- / ---	295 °C / ---
Težina / Weight	93,1 kg	129,2 kg	110,5 kg	90,7 kg	89,5 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	2,65 kg/h / 3,3 kg/h	2,5 kg/h / 2,4 kg/h	2,24 kg/h / 4,2 kg/h	--- / ---	2 kg/h / ---
Kapacitet grejanja (približno) / Heatable volume (approximately)	50 m ² / 53 m ²	59 m ² / 59 m ²	53 m ² / 46 m ²	66 m ² / ---	59 m ² / ---

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Smederevac MBS 7 RS	Smederevac MBS 7 SL	Smederevac MBS 3	Eva	Elit	Vulkan	Olymp	Olympia
740x820x645 mm	740x820x645 mm	740x720x570 mm	780x605x555 mm	985x588x493 mm	747,5x650x531 mm	850x585x640 mm	1120x585x640 mm
250x200x400 mm	195x200x400 mm	195x200x400 mm	400x500x420 mm	298x400x364 mm	265x390x400 mm	310x250x340 mm	330x250x340 mm
200x430x460 mm	200x430x460 mm	200x300x400 mm	/	/	/	/	280x270x425 mm
9,5 kW / ---	8,5 kW / 9,5kW	6,5 kW / 10 kW	10 kW / ---	8,6 kW / 9 kW	17 kW / 21 kW	12 kW / 12 kW	12 kW / 18 kW
/	/	/	/	/	/	/	/
85 % / ---	85 % / 86 %	81 % / 85 %	80 % / ---	76 % / 74 %	83 % / 84 %	80 % / 82 %	87 % / 87 %
0,0694 % / ---	0,179 % / 0,174 %	0,030 % / 0,081 %	--- / ---	0,088 % / 0,067 %	0,038 % / 0,042 %	0,046 % / 0,046 %	0,032 % / 0,04 %
0,0266 g/m ³ / ---	0,060 / 0,039 g/m ³	0,038 / 0,030 g/m ³	--- / ---	0,069 / 0,043 g/m ³	0,038 / 0,040 g/m ³	0,04 / 0,028 g/m ³	0,038 / 0,039 g/m ³
/	/	/	/	/	/	/	/
L,D* / L,R*	L,D* / L,R*	L,D* / L,R*	C* / U*	C* / U*	C* / U*	Z* / B*	Z* / B*
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 150 mm	Ø 120 mm	Ø 120 mm
157 °C / ---	115,6 °C / 94,2 °C	157 °C / 117,5 °C		279 °C / 297 °C	211 °C / 243 °C	216 °C / 191°C	129 °C / 129 °C
84,3 kg	83,7 kg	70,7 kg	140,7 kg	131,2 kg	183,1 kg	110,6 kg / 138,9 kg	160,9 / 185 kg**
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo wood	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
2,6 kg/h / ---	1,8 kg/h / 4,0 kg/h	1,5 kg/h / 2 kg/h	--- / ---	2,5 kg/h / 2,2 kg/h	3,5 kg/h / 2,8 kg/h	2,5 kg/h / 1,6 kg/h	2,3 kg/h / 2,3 kg/h
63 m ² / ---	56 m ² / 63 m ²	43 m ² / 66 m ²	66 m ² / ---	56 m ² / 59 m ²	112 m ² / 138 m ²	79 m ² / 79 m ²	79 m ² / 118 m ²

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



MODEL / MODEL	Vesta	Hit	Corner	Hera	Happy
Dimenzije (VxŠxD) / Dimensions (HxWxD)	890x455x440mm	850x500x440 mm	850x640x575 mm	850x400x560 mm	720x400x400 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	280x400x340mm	270x280x300 mm	270x280x300 mm	280x290x300 mm	265x220x300 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	/	/	/	/	/
Snaga (drvo / ugalj) / Power (wood / coal)	9 kW / 9,5 kW	11 kW / 13 kW	10 kW / 12 kW	7 kW / ---	6 kW / ---
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	85 % / 86 %	82 % / 83 %	81 % / 86 %	89 % / ---	82 % / ---
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	0,15 / 0,06 %	0,037 % / 0,046 %	0,043 % / 0,041 %	0,09 % / ---	0,038 % / ---
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,056 / 0,057 g/m ³	0,036 / 0,027 g/m ³	0,038 / 0,028 g/m ³	0,067 g/m ³ / ---	0,055 g/m ³ / ---
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	C* / U*	C* / U*	C* / U*	C* / U*	C* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	124 °C / 142,5 °C	211,8 °C / 245,9 °C	265,9 °C / 222,6 °C	182 °C / ---	221,4 °C / ---
Težina / Weight	86,9 kg	70,7 kg	70,5 kg	80 kg	53,8 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	2 kg/h / 2,2 kg/h	2,2 kg/h / 1,8 kg/h	2,18 kg/h / 1,63 kg/h	1,9 kg/h / ---	1,6 kg/h / ---
Kapacitet grejanja (približno) / Heatable volume (approximately)	59 m ² / 63 m ²	72 m ² / 85 m ²	66 m ² / 79 m ²	46 m ² / ---	40 m ² / ---

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Arena	MBS Pellet 6 kW / 8,5 kW	MBS Pellet 10 kW
600x445x370 mm	980x560x490 mm	980x560x490 mm
/	/	/
7,5 kW / ---	6 kW/8,5 kW/10 kW	6 kW/8,5 kW/10 kW
/	/	/
73,03 %	88 %	88 %
--- / ---	0,02 %	0,02 %
--- / ---	0,0437 g/m ³	0,0437 g/m ³
/	/	/
C,Z* / U,B*	Z* / B*	Z* / B*
Ø 140 mm	Ø 80 mm	Ø 80 mm
--- / ---	150 °C	150 °C
81,2 kg	102,4 kg / 102,4 kg	114,5 kg
drvo, ugalj wood, coal	pelet pellet	pelet pellet
--- / ---	min: 0,6 kg/h max: 1,6 / 1,9 kg/h	min: 0,6 kg/h max: 2,2 kg/h
50 m ² / ---	40 m ² / 56 m ²	66 m ²

Sertifikati Certificates

Sa tendencijom osvajanja svetskog tržišta, plasiranja kvaliteta i pridobijanja poverenja novih kupaca MBS 1998. Godine dobija nacionalni sertifikat za sistem kvaliteta usaglašen sa zahtevima standarda JUS ISO 9001, a 2003. godine dobijen je sertifikat od strane TÜV CERT za integrisani sistem kvaliteta i zaštite životne sredine usaglašen sa zahtevima standarda ISO 9001 i ISO 14001.

Od tog perioda pa sve do danas, nadzornim proverama i resertifikacijama , nastavlja da potvrđuje svoju opredeljenost ka zadovoljenju potreba i zahteva kupaca kroz negovanje savremenih tokova poslovanja i obezbeđenje propisanih uslova zaštite životne sredine.

MBS has tendencies of conquering the world market, placing quality and getting confidence from a new buyers. In the year 1998 MBS had received national certificate for quality management system that is in compliance with requirements of standard JUS ISO 9001, and in the year 2003 Mbs had received certificate from TÜV CERT for integrated quality management system and environmental management system that is in accordance with requirements of standards ISO 9001 and ISO 14001.

From that period until now we had quality management system and environmental management system auditing and recertifications. MBS continues to confirm its dedication towards satisfying buyers demand and adopting modern ways of doing business as well as providing environmental protection regulations.

EN ISO 9001:2008



EN ISO 14001:2009



Milan Blagojević AD Smederevo

Đure Strugara 20, 11300 Smederevo, Srbija

Tel: 026 633 600 / 026 633 601 Fax: 026 4629 941

e-mail: office@mbs.rs

Milan Blagojevic AD Smederevo

Djуре Strugara 20, 11300 Smederevo, Serbia

Tel: +381 26 633 600 / +381 26 633 601 Fax: +381 26 4629 941

e-mail: office@mbs.rs

